

Masport®



Outdoor Power Equipment

New Zealand 2022/23



With 112 years of innovation, Masport has grown to become a market leader for outdoor garden and lifestyle products. Synonymous with quality and reliability, the brand has been trusted by Kiwis for generations.

Masport is sold in over 45 countries worldwide, and continues to develop outstanding products.



EVERY LAWN IS DIFFERENT

Which is why Masport has developed a comprehensive range of lawn and garden equipment. Masport mowers have been designed to meet the needs of the heaviest lawn conditions and the longest mowing times, they are built to last.

Market Leading Consumer Warranties

We are committed to quality and performance.
On offer is a full comprehensive consumer warranty, so you know exactly what is covered.



Masport branded push mowers featuring Briggs & Stratton, Kohler and AL-KO engines receive an industry leading 5 year comprehensive warranty on the entire lawnmower*. Delivering additional confidence and longevity for these lawnmowers.

OUR LAWNMOWER CHASSIS AND PARTS WARRANTIES



We offer you an impressive 10 year warranty on all aluminium chassis. If you prefer a steel chassis you'll enjoy a 5 year warranty*. Both aluminium and steel push mower options come with a 5 year warranty on ALL parts*.

LIFETIME CATCHER WARRANTY



Masport's High Density Polyethylene (HDPE) Plastic Catcher comes with a Lifetime Warranty.

BRIGGS & STRATTON STARTING PROMISE



RAPID START
20% EASIER STARTING

READY START
NO PRIME - NO CHOKE

Briggs & Stratton 500, 600, 700 and 800 series engines include a Starting Promise. If they don't start in line with the starting promise, return it to an authorised Briggs & Stratton engine service agent, and they will fix it for free*.

RapidStart™ engines will always start with a maximum of 5 primes and 4 pulls, or it is fixed for free*.

With ReadyStart™, there's no need to manually prime or choke the engine on your mower, even from a cold start. Now even the least experienced lawn mower user can confidently start their mower. This engine should start on one or two pulls, or it is fixed for free*.

*Conditions apply, see www.masport.co.nz for more information.

LITHIUM-ION POWERED LAWNMOWERS

Masport has made durable and high-performing lawnmowers for over 80 years. We know how to make a lawnmower that is built to last.

Masport now brings you the latest in lithium-ion battery technology to power brushless electric induction motors. These mowers match the performance of many petrol-powered lawnmowers, and they do it quieter and without fumes.

Load sensing technology adapts the mower to the cutting conditions, sensing grass thickness and optimizing power requirements for the best quality cut. The mower balances power and maximises runtimes through intelligent and efficient energy use.

Utilising the same handles, disk system, wheels, catcher, and cutting deck as our petrol models, there is no compromise on quality or performance.

Available across 3 different platforms, the Masport Lithium-Ion Battery mower ranges give you the benefit of:

- Zero emissions
- Low noise
- Push-button starting
- Minimal maintenance
- Long run time
- Ease of use

The Masport battery range will give you the freedom and convenience that comes with battery on a tried and tested Masport mower. Now you can mow at the push of a button, emission-free with true Masport power and performance.



M-Tech Range – page 24

Masport's M-tech range is powered by a 58V motor and features an integrated 58V 4.3Ah battery that can deliver up to an impressive 55 minutes of mowing time. Simply plug the mower into the power supply to recharge.

60V MAX Range – page 26

Our most powerful battery outdoor garden tool range, the Masport 60V mowers have been developed to offer a solution for homeowners as well as to professional users who want the power of petrol with the benefits of battery.



FEATURES

MASPORT BLADE SYSTEMS



Masport Quickcut® 2 Swingback Blade System

For superior cutting, mulching or catching performance, Masport mowers are fitted with unique blade cutting systems. The Masport Quickcut® blade is a top quality, specially designed blade system for cutting and mulching.



Masport 2 & 4 Swingback Blade Disc System

This blade system runs 2 or 4 swing back blades suitable for catching and mulching applications and is fitted on selected Masport catching and mulching models.



Masport Quadcut® 4 Swingback Blade Disc Cutting System

A specially designed four blade disc system, great for catching due to increased airflow.



Masport Quadcut® with Chipper Blade

The additional chipper blade allows your mower to chip branches up to 35mm / 1.4" into garden mulch, when fed through the mower via the Chipperchute.



Swingback Blade Feature

All these blade systems have a swingback feature, designed to protect the crankshaft from damage should the mower hit a solid object.

WHEELS



Masport's adjustable dual bearing wheels make the mower easy to push, with a threaded axle and nut, the wheels can easily be adjusted if they become loose after significant use. These wheels are made of polyethylene and designed to last. They have been vigorously tested for 600+ hours to ensure quality and durability.

CUTTING HEIGHTS



Push lawnmowers have a range of cut heights, from 10mm - 70mm (0.4" - 2.75"). Height can be adjusted in one simple lever movement which is much faster than systems that require each individual wheel to be adjusted.

MASPORT HANDLE SYSTEMS



PVC Grip

For added comfort during operation



MSV Handle

Wide diameter, with soft grip for added comfort



Soft Grip

For superior comfort and less vibration during mowing



One Piece Lower Handle

Reinforced lower 'U' handle for added strength



Two Piece

Stub handle with no middle bar for easy catcher access

A RANGE OF CHASSIS SIZES TO SUIT YOUR NEEDS

High-arch design

Allows airflow created from the blades to draw the grass upwards for multiple cut cycles before flowing into the catcher, creating enhanced mulching and catching performance.



CHASSIS	Features	STEEL	ALUMINIUM
420MM (16.5") CHASSIS	<ul style="list-style-type: none"> Smaller cutting chassis for smaller lawns or tricky grass areas Easy to manoeuvre 	<ul style="list-style-type: none"> durable steel 	
460MM (18") CHASSIS	<ul style="list-style-type: none"> High-arch design Single Mowzone (left side) 	<ul style="list-style-type: none"> durable steel 	<ul style="list-style-type: none"> Corrosion free non-rust aluminium 10 year warranty
485MM (19") CHASSIS	<ul style="list-style-type: none"> High-arch design Wider cutting width Dual Mowzone® 	<ul style="list-style-type: none"> 1.6mm durable steel 	<ul style="list-style-type: none"> Corrosion free non-rust aluminium 10 year warranty
540MM (21") CHASSIS	<ul style="list-style-type: none"> High-arch design Wider cutting width Dual Mowzone® 	<ul style="list-style-type: none"> 2mm heavy duty steel 	<ul style="list-style-type: none"> Corrosion free non-rust aluminium 10 year warranty
530MM (21") UTILITY CHASSIS	<ul style="list-style-type: none"> Wider cut Specially designed Side Discharge chassis Strong and reliable for demanding conditions 	<ul style="list-style-type: none"> 2mm heavy duty steel 	

* Please note, not all mowers in our range contain all of these features

COMBO 2'N1
Catch and mulch options on these mowers.

COMBO 3'N1
These mowers have catch, mulch & side discharge options.

GENIUS 4N'1
These mowers have catch, mulch, side discharge & chip options.

THE MASPORT ADVANTAGE

The Masport Platinum series offers a range of mowers to suit your needs, lifestyle and budget and will help you achieve that perfect lawn. The models in this range are feature rich, innovative and truly high performance mowers. Look for the icons that represent the features you require throughout the brochure.



CHIPPERCHUTE



An innovative development in lawn mowing that means your mower can do more than cut grass. Shred branches up to 35mm in diameter by using the additional chipper blade turning it into useful mulch. As branches are chipped, the chips are fed back into the catcher so you can put the mulch into your compost or garden.



MOW N'STOW®



Masport and Briggs & Stratton have designed a concept to make storage easier and more efficient. The Masport crafted exclusive handle system folds upright and then back on itself to create a sturdy base. The Briggs & Stratton designed engine tips backwards up to 110° without any fuel or oil leakage and is completely safe. Mow the grass, stow the mower - save significant shed space!



HANDLE LIFT SYSTEM



The Handle Lift System allows you to quickly and easily access the catcher (or Smartchute® system). Simply step on the foot pedal and lift the handle, it's that easy! Once the handle is returned to the operating position, it will lock in firmly providing responsive handling. It also reduces storage space.




SELF PROPELLED



Let the mower do the work. These models are fitted with a self drive system. All you need to do is squeeze the self propelled bail to the handle to propel the mower forward. This reduces pushing effort making mowing quicker and easier!



MASPORT DUAL MOWZONE®



With the blade coverage extending beyond the wheel width on both sides, the mower can cut closer to walls, kerbs and fences, giving a cleaner finish to your lawn.



SMARTCHUTE®



Mow without the catcher and avoid messy grass clumps. The Masport patented Smartchute® will side discharge a clean spread of clippings as you mow to leave your lawn looking wonderful. Just engage the unique feature and begin mowing.



MOWER STARTING



Zone Start
The conveniently positioned starter cord eliminates the need to bend all the way down to pull-start, reducing the risk of back strain.



REAR DISCHARGE



With the rear discharge chute, the mower can be used effectively without a catcher. It is designed to work with Masport's unique 'high-arch' housing and blade systems which generate great airflow. The grass is spread across the full width of the chute and directed downward.



MULCHING



When you mulch there is less weight to push and no stopping to empty the catcher. The high-arch chassis design and the special blade means it also naturally recycles your grass by re-cutting the clippings and feeding them back into your lawn. You will save on watering and lawn fertilisers, as well as time.



ELECTRIC START



Briggs & Stratton's InStart® & Integrated InStart® lithium-ion electric start engines take the guessing game out of starting your lawnmower. No more priming, choking or pulling the rope. These engines combine the power of petrol and the starting reliability of lithium-ion battery technology.





LAWN MARSHAL ST 139 S18

CUT, CATCH	STEEL CHASSIS	PUSH	460MM (18")	565950
------------	---------------	------	-------------	--------



ENGINE Powered by AL-KO 139cc OHV Auto Choke 4 stroke engine*

BUILD 460mm (18") steel chassis
Masport Quickcut® Blade System
Front 175mm (7") and Rear 200mm (8") adjustable mono bearing wheels
HDPE Plastic Catcher

HANDLE SYSTEM Comfortable upturned upper handle
Two piece lower handle for easy catcher access

FEATURES



*AL-KO specified engine as used on AL-KO mowers in Europe



578768**
Powered by Briggs & Stratton 125cc OHV Series™ 450E Primer 4 stroke engine

**Wheel specs on this mower may differ from the model above

300 ST S18 2'N1

CUT, CATCH, MULCH	STEEL CHASSIS	PUSH	460MM (18")	578770
-------------------	---------------	------	-------------	--------



ENGINE Powered by Briggs & Stratton 140cc OHV Series™ 500E RapidStart™ 4 stroke engine

BUILD 460mm (18") steel chassis
Masport Quickcut® Blade System
Front 200mm (8") and Rear 200mm (8") adjustable mono bearing wheels
HDPE Plastic Catcher

HANDLE SYSTEM Comfortable upturned upper handle
Two piece lower handle for easy catcher access

FEATURES



400 AL S18 2'N1

CUT, CATCH, MULCH	ALLOY CHASSIS	PUSH	460MM (18")	565882
-------------------	---------------	------	-------------	--------



ENGINE Powered by AL-KO 159cc OHV IC Auto Choke 4 stroke engine*
Cast iron sleeve in cylinder

BUILD 460mm (18") heavy duty aluminium non rust chassis
Masport Quickcut® Blade System
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
HDPE Plastic Catcher
Zone start for comfortable starting position

HANDLE SYSTEM Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

FEATURES



*AL-KO specified engine as used on AL-KO mowers in Europe

450 AL S18 2'N1

CUT, CATCH, MULCH	ALLOY CHASSIS	PUSH	460MM (18")	564851
-------------------	---------------	------	-------------	--------



ENGINE Powered by Briggs & Stratton 140cc OHV Series™ 500E RapidStart™ 4 stroke engine

BUILD 460mm (18") heavy duty aluminium non rust chassis
Masport Quickcut® Blade System
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
HDPE Plastic Catcher
Zone start for comfortable starting position

HANDLE SYSTEM Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

FEATURES





450 AL S18 2'N1 ELECTRIC START

CUT, CATCH, MULCH	ALLOY CHASSIS	PUSH	460MM (18")	565797
	   	ENGINE Powered by Briggs & Stratton 140cc OHV Series™ 550ISi Integrated InStart® 4 stroke engine	BUILD 460mm (18") heavy duty aluminium non rust chassis Masport Quickcut® Blade System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher	HANDLE SYSTEM Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down
	FEATURES	   		



550 AL S18 2'N1 MOW N'STOW®

CUT, CATCH, MULCH	ALLOY CHASSIS	PUSH	460MM (18")	578731
	   	ENGINE Powered by Briggs & Stratton 150cc OHV Series™ 625EXi ReadyStart™ 4 stroke engine	BUILD 460mm (18") heavy duty aluminium non rust chassis Masport Quadcut® Blade Disc System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher Zone start for comfortable starting position	HANDLE SYSTEM Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Handle Lift System for easy catcher removal and storage Camlocks for quick release handle fold down
	FEATURES	     		

500 AL S18 2'N1

CUT, CATCH, MULCH	ALLOY CHASSIS	PUSH	460MM (18")	565836
	   	ENGINE Powered by Briggs & Stratton 140cc OHV Series™ 550EX ReadyStart™ 4 stroke engine	BUILD 460mm (18") heavy duty aluminium non rust chassis Masport Quickcut® Blade System Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher Zone start for comfortable starting position	HANDLE SYSTEM Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down
	FEATURES	   		

S18 LIMITED EDITION IC - MRZ

CUT, CATCH, MULCH	ALLOY CHASSIS	PUSH	460MM (18")	578732
	   	ENGINE Powered by Kohler 173cc OHV Series XT775 IC 4 stroke engine Cast iron sleeve in cylinder	BUILD 460mm (18") heavy duty aluminium non rust chassis Masport Quadcut® Blade Disc System Front 175mm (7") and Rear 200mm (8") adjustable dual bearing wheels HDPE Plastic Catcher Zone start for comfortable starting position	HANDLE SYSTEM Comfortable upturned upper handle with PVC grip Reinforced lower handle for added strength Camlocks for quick release handle fold down
	FEATURES	   		



575 AL S18 2'N1

CUT, CATCH, MULCH	ALLOY CHASSIS	PUSH	460MM (18")	578733
-------------------	---------------	------	-------------	--------



ENGINE Powered by Briggs & Stratton 163cc OHV Series™ 725EXi ReadyStart™ 4 stroke engine

BUILD 460mm (18") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
HDPE Plastic Catcher
Zone start for comfortable starting position

HANDLE SYSTEM Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Handle Lift System for easy catcher removal and storage
Camlocks for quick release handle fold down

FEATURES



750 AL S19 2'N1 IC

CUT, CATCH, MULCH	ALLOY CHASSIS	PUSH	485MM (19")	564714
-------------------	---------------	------	-------------	--------



ENGINE Powered by Briggs & Stratton 190cc OHV Series™ 850 Professional I/C® ReadyStart™ 4 stroke engine
Cast iron sleeve in cylinder

BUILD 485mm (19") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
HDPE Plastic Catcher with 'full' indicator
Masport Dual Mowzone® for edge to edge cutting
Zone start for comfortable starting position

HANDLE SYSTEM Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Handle Lift System for easy catcher removal and storage
Camlocks for quick release handle fold down

FEATURES



565967
Powered by Briggs & Stratton 161cc Series™ 750 DOV® I/C® ReadyStart™ 4 stroke engine
Cast iron sleeve in cylinder

575 AL S18 2'N1 ELECTRIC START

CUT, CATCH, MULCH	ALLOY CHASSIS	PUSH	460MM (18")	567792
-------------------	---------------	------	-------------	--------



ENGINE Powered by Briggs & Stratton 150cc OHV Series™ 650iS InStart® 4 stroke engine

BUILD 460mm (18") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
Front 175mm (7") and Rear 200mm (8") adjustable dual bearing wheels
HDPE Plastic Catcher

HANDLE SYSTEM Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

FEATURES



800 AL S21 3'N1

CUT, CATCH, MULCH, REAR DISCHARGE	ALLOY CHASSIS	PUSH	540MM (21")	564896
-----------------------------------	---------------	------	-------------	--------



ENGINE Powered by Briggs & Stratton 190cc OHV Series™ 875 ReadyStart™ 4 stroke engine

BUILD 540mm (21") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
Large capacity Commercial Dacron Catcher with dust cover
Masport Dual Mowzone® for edge to edge cutting
Zone start for comfortable starting position

HANDLE SYSTEM Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

FEATURES





350 ST S18 2'N1 EZI-DRIVE SP

CUT, CATCH, MULCH	STEEL CHASSIS	SELF-PROPELLED*	460MM (18")	565811
-------------------	---------------	-----------------	-------------	--------



ENGINE Powered by Briggs & Stratton 140cc OHV Series™ 500E RapidStart™ 4 stroke engine

BUILD 460mm (18") heavy duty steel chassis
Masport 4 Blade Disc System
Front 175mm (7") and Rear 200mm (8") adjustable mono bearing wheels
HDPE Plastic Catcher

HANDLE SYSTEM Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

FEATURES



* 2 year transmission warranty

550 AL S18 2'N1 SP

CUT, CATCH, MULCH	ALLOY CHASSIS	SELF-PROPELLED*	460MM (18")	578799
-------------------	---------------	-----------------	-------------	--------



ENGINE Powered by Briggs & Stratton 150cc OHV Series™ 625EXi ReadyStart™ 4 stroke engine

BUILD 460mm (18") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
Front 175mm (7") and Rear 220mm (9") adjustable dual bearing wheels
HDPE Plastic Catcher
Zone start for comfortable starting position

HANDLE SYSTEM Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

FEATURES



* 2 year transmission warranty

350 ST S18 2'N1 ELECTRIC START EZI-DRIVE SP

CUT, CATCH, MULCH	STEEL CHASSIS	SELF-PROPELLED*	460MM (18")	565795
-------------------	---------------	-----------------	-------------	--------



ENGINE Powered by Briggs & Stratton 140cc OHV Series™ 550ISI Integrated InStart® 4 stroke engine

BUILD 460mm (18") heavy duty steel chassis
Masport 4 Blade Disc System
Front 175mm (7") and Rear 200mm (8") adjustable mono bearing wheels
HDPE Plastic Catcher

HANDLE SYSTEM Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

FEATURES



* 2 year transmission warranty

575 AL S18 2'N1 ELECTRIC START SP

CUT, CATCH, MULCH	ALLOY CHASSIS	SELF-PROPELLED*	460MM (18")	567793
-------------------	---------------	-----------------	-------------	--------



ENGINE Powered by Briggs & Stratton 150cc OHV Series™ 650iS InStart® 4 stroke engine

BUILD 460mm (18") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
Front 175mm (7") and Rear 220mm (9") adjustable dual bearing wheels
HDPE Plastic Catcher

HANDLE SYSTEM Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

FEATURES



* 2 year transmission warranty



800 AL S21 3'N1 SPV IC

CUT, CATCH, MULCH, REAR DISCHARGE ALLOY CHASSIS SELF-PROPELLED* 540MM (21") 564897



ENGINE Powered by Briggs & Stratton 190cc OHV Series™ 850 Professional I/C® ReadyStart™ 4 stroke engine
Cast iron sleeve in cylinder

BUILD 540mm (21") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
Front 200mm (8") and Rear 220mm (9") deep tread adjustable dual bearing wheels
Large capacity Commercial Dacron Catcher with dust cover
Zone start for comfortable starting position

HANDLE SYSTEM Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

FEATURES



* 2 year transmission warranty



565915
Powered by AL-KO Series NINE IC 196cc
OHV 4 stroke engine**
Cast iron sleeve in cylinder

**AL-KO specified engine as used on AL-KO mowers in Europe

ROTAROLA AL S18 SP

CUT, CATCH, STRIPE ALLOY CHASSIS SELF-PROPELLED* 460MM (18") 567833



ENGINE Powered by Briggs & Stratton 163cc OHV Series™ 675EXi ReadyStart™ 4 stroke engine

BUILD 460mm (18") heavy duty aluminium non rust chassis
Masport Quickcut® Blade System
Front 150mm (6") adjustable dual bearing wheels and a 127mm (5") Rear steel roller
Fabric Catcher
Zone start for comfortable starting position

HANDLE SYSTEM Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Ergo camlocks for adjustable handle position

FEATURES



* 2 year transmission warranty

MSV MOWERS

Enjoy the additional comfort and soft grip of the MSV Ergonomic adjustable handle.



MSV AL S19 3'N1

CUT, CATCH, MULCH, SIDE DISCHARGE ALLOY CHASSIS PUSH 485MM (19") 578919



ENGINE Powered by Briggs & Stratton 163cc OHV Series™ 725EXi ReadyStart™ 4 stroke engine

BUILD 485mm (19") heavy duty aluminium non rust chassis
Masport Quadcut® Blade Disc System
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
HDPE Plastic Catcher with 'full' indicator
Masport Dual Mowzone® for edge to edge cutting
Zone start for comfortable starting position

HANDLE SYSTEM MSV® Ergonomic adjustable handle with soft grip
Reinforced lower handle for added strength
Handle Lift System for easy catcher removal and storage
Ergo camlocks for adjustable handle position

FEATURES



MSV AL S19 GENIUS 4'N1

CUT, CATCH, MULCH, SIDE DISCHARGE, CHIP ALLOY CHASSIS PUSH 485MM (19") 578916



ENGINE Powered by Briggs & Stratton 163cc OHV Series™ 725EXi ReadyStart™ 4 stroke engine

BUILD 485mm (19") heavy duty aluminium non rust chassis
Masport 4 Blade Disc System with Chipper Blade
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels
HDPE Plastic Catcher with 'full' indicator
Masport Dual Mowzone® for edge to edge cutting
Zone start for comfortable starting position

HANDLE SYSTEM MSV® Ergonomic adjustable handle with soft grip
Reinforced lower handle for added strength
Handle Lift System for easy catcher removal and storage
Ergo camlocks for adjustable handle position

FEATURES





CONTRACTOR SERIES

BUILT TOUGH, MADE TO LAST

Great gardens and professional looking landscapes demand equipment that is hardworking and reliable.

UTILITY 460

SIDE DISCHARGE	STEEL CHASSIS	PUSH	460MM (18")	572843
----------------	---------------	------	-------------	--------



ENGINE Powered by Briggs & Stratton 125cc OHV Series™ 450E Primer 4 stroke engine

BUILD 460mm (18") heavy duty steel chassis
Masport Quickcut® Blade System
Front 175mm (7") and Rear 175mm (7") adjustable dual bearing wheels

HANDLE SYSTEM Flat handle
Reinforced lower handle for added strength

FEATURES



UTILITY 530 ST S21 IC

SIDE DISCHARGE	STEEL CHASSIS	PUSH	530MM (21")	572836
----------------	---------------	------	-------------	--------



ENGINE Powered by Briggs & Stratton 190cc OHV Series™ 850 Professional I/C® ReadyStart™ 4 stroke engine
Cast iron sleeve in cylinder

BUILD 530mm (21") heavy duty steel chassis
Masport Quadcut® Blade Disc System
Front 200mm (8") and Rear 200mm (8") adjustable dual bearing wheels

HANDLE SYSTEM Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down

FEATURES



572860
Powered by Briggs & Stratton 161cc Series™ 750 DOV® I/C® ReadyStart™ 4 stroke engine
Cast iron sleeve in cylinder

GT AGILITY PRO 3 SPEED COMMERCIAL TRANSMISSION



A commercial grade, all metal, constant mesh, oil lubricated, cone clutch gearbox featuring precision bearings to the shafts. Designed for commercial applications, it provides reliability and durability. Ground speeds at 3200rpm are: 1st - 3.74 km/h, 2nd - 5.11 km/h, 3rd - 6.63 km/h, providing the perfect speed-to-job ratio demanded by contractors and homeowners with large yards.



PROFESSIONAL CAST ALUMINIUM WHEELS & PRECISION BEARINGS

Professional grade, heavy duty, cast aluminium 8" front & 9 1/4" rear wheels with synthetic rubber tyres are extremely tough and are designed to operate under commercial conditions.



Each wheel is complemented by dual 6202 precision sealed bearings, making the mower easy to push, virtually maintenance free and long lasting.

STEEL REAR DISCHARGE CHUTE

Designed to work without a catcher or mulch plug, the rear discharge chute will spread the grass across the full width of the chute and direct the cut grass toward the ground. This allows the user to mow at any height without the need to stop mowing to empty a catcher, reducing mowing time and running costs, plus recycling the cut grass.



LARGE CAPACITY DACRON CATCHER

The double lined Dacron catcher with dust cover holds 80L. The fabric catcher improves airflow maintaining catching performance, while the dust cover directs airflow downwards, reducing dust updraft for the operator.



BOLT IN AXLES

The front axle is held firmly in place with steel bearing plates bolted directly to the chassis, which also securely retains the plastic axle pivot bush tight. The rear axle is bolted directly to the chassis through the rear bearing chassis, providing a strong fix to the mower.



BUMPERS

A front bumper and engine guard offer protection to the cutting chassis, front axle and engine. These bumpers also provide a valuable lifting handle and tie down point to secure the mower.



ROBUST HANDLES & HEAVY DUTY CONTROLS & CABLES

Large diameter and heavier gauge upper and lower handles withstand the heavy forces applied to provide extra durability. The lower handle has additional bracing, reducing any lateral movement.



The heavy duty control and cables are extremely robust and resilient to breakage and wear, providing greater longevity.

WARRANTY

DOMESTIC

5 Year Mower parts & Gearbox
5 Year Briggs & Stratton 850 Professional engine
3 Year Kawasaki engine
3 Year Honda engine

COMMERCIAL

1 Year Mower parts & Gearbox
2 Year Briggs & Stratton 850 Professional engine
3 Year Kawasaki engine
3 Year Honda engine



CONTRACTOR® ST S21 3'N1 SP B&S

CUT, CATCH, MULCH, REAR DISCHARGE	STEEL CHASSIS	SELF-PROPELLED	540MM (21")	564929
-----------------------------------	---------------	----------------	-------------	--------



ENGINE	Powered by Briggs & Stratton 190cc OHV Series™ 850 Professional I/ C® ReadyStart™ 4 stroke engine Cast iron sleeve in cylinder
BUILD	540mm (21") deep draw heavy duty steel chassis Masport Quadcut® Blade Disc System Large wide diameter professional grade heavy duty cast aluminium Front 200mm (8") and Rear 225mm (9¼") wheels with synthetic rubber tyres and precision 6202 sealed ball bearings Large capacity Commercial Dacron Catcher with dust cover Zone start for comfortable starting position
HANDLE SYSTEM	Comfortable and sturdy upturned upper handle with soft grip, large diameter and heavier gauge steel tube Robust lower handle with additional bracing for extra durability 3 position handle locking system for different height settings

FEATURES



CONTRACTOR® ST S21 3'N1 SP HONDA

CUT, CATCH, MULCH, REAR DISCHARGE	STEEL CHASSIS	SELF-PROPELLED	540MM (21")	565930
-----------------------------------	---------------	----------------	-------------	--------



ENGINE	Powered by Honda 163cc OHV Series GXV160 4 stroke engine Cast iron sleeve in cylinder
BUILD	540mm (21") deep draw heavy duty steel chassis Masport Quadcut® Blade Disc System Large wide diameter professional grade heavy duty cast aluminium Front 200mm (8") and Rear 225mm (9¼") wheels with synthetic rubber tyres and precision 6202 sealed ball bearings Large capacity Commercial Dacron Catcher with dust cover Zone start for comfortable starting position
HANDLE SYSTEM	Comfortable and sturdy upturned upper handle with soft grip, large diameter and heavier gauge steel tube Robust lower handle with additional bracing for extra durability 3 position handle locking system for different height settings

FEATURES



CONTRACTOR® ST S21 3'N1 SP BBC HONDA

CUT, CATCH, MULCH, REAR DISCHARGE	STEEL CHASSIS	SELF-PROPELLED	540MM (21")	565735
-----------------------------------	---------------	----------------	-------------	--------



ENGINE	Powered by Honda 163cc OHV Series GXV160 4 stroke engine Cast iron sleeve in cylinder
BUILD	540mm (21") deep draw heavy duty steel chassis Masport Quadcut® Blade Disc System Large wide diameter professional grade heavy duty cast aluminium Front 200mm (8") and Rear 225mm (9¼") wheels with synthetic rubber tyres and precision 6202 sealed ball bearings Large capacity Commercial Dacron Catcher with dust cover Zone start for comfortable starting position
HANDLE SYSTEM	Comfortable and sturdy upturned upper handle with soft grip, large diameter and heavier gauge steel tube Robust lower handle with additional bracing for extra durability 3 position handle locking system for different height settings

FEATURES

Blade Brake Clutch (BBC) allows you to disengage the rotation of the mower blades without having to stop the engine.





LITHIUM-ION POWERED LAWNMOWERS



400 ST S18 2'N1 58V 0.75KW

CUT, CATCH, MULCH	STEEL CHASSIS	PUSH	460MM (18")	578740
-------------------	---------------	------	-------------	--------



- MOTOR** 58 volt 0.75 kilowatt with load sensing technology
Solid steel 7/8" motor drive shaft, no plastic fan required
- BATTERY** Powered by a Masport 58V, 4.3Ah internal battery
(Upgradeable to two batteries providing double the cutting time)
Battery charger included - output: 58V, 3A
5 stage LED battery charge status indicator on upper handle
- BUILD** 460mm (18") heavy duty steel chassis
Masport 2 Blade Disc System
Front 175mm (7") and Rear 200mm (8") wheels
HDPE Plastic Catcher
- HANDLE SYSTEM** Comfortable upturned upper handle with PVC grip
Two piece lower handle for easy catcher access
Camlocks for quick release handle fold down
- FEATURES**



200 ST 2'N1 58V 0.75KW

CUT, CATCH, MULCH	STEEL CHASSIS	PUSH	420MM (16.5")	567766
-------------------	---------------	------	---------------	--------



- MOTOR** 58 volt 0.75 kilowatt with load sensing technology
Solid steel 7/8" motor drive shaft, no plastic fan required
- BATTERY** Powered by a Masport 58V, 4.3Ah internal battery
(Upgradeable to two batteries providing double the cutting time)
Battery charger included - output: 58V, 3A
5 stage LED battery charge status indicator on upper handle
- BUILD** 420mm (16.5") steel chassis
Masport 2 Blade Disc System
Front 175mm (7") and Rear 175mm (7") wheels
HDPE Plastic Catcher
- HANDLE SYSTEM** Comfortable upturned upper handle
Two piece lower handle for easy catcher access
- FEATURES**



450 AL S18 2'N1 58V 0.75KW

CUT, CATCH, MULCH	ALLOY CHASSIS	PUSH	460MM (18")	578742
-------------------	---------------	------	-------------	--------



- MOTOR** 58 volt 0.75 kilowatt with load sensing technology
Solid steel 7/8" motor drive shaft, no plastic fan required
- BATTERY** Powered by a Masport 58V, 4.3Ah internal battery
(Upgradeable to two batteries providing double the cutting time)
Battery charger included - output: 58V, 3A
5 stage LED battery charge status indicator on upper handle
- BUILD** 460mm (18") heavy duty aluminium non rust chassis
Masport 2 Blade Disc System
Front 175mm (7") and Rear 200mm (8") wheels
HDPE Plastic Catcher
- HANDLE SYSTEM** Comfortable upturned upper handle with PVC grip
Reinforced lower handle for added strength
Camlocks for quick release handle fold down
Handle Lift System for easy catcher removal and storage
- FEATURES**



Masport / 60V MAX

GET READY TO FEEL
THE POWER OF 60V



Introducing our Masport 60V battery-powered outdoor garden tool range, a range that delivers true petrol like performance but without the loud noise, emissions, and hassle of cords. Designed as our most powerful battery-operated outdoor garden tool range to date, the Masport 60V range is developed to offer a solution for users who want the power of petrol in a battery powered package. Featuring a 2.5Ah or a 5.0Ah AEROCORE battery which powers the ever-expanding range, simply remove the battery and fit it into the other tools to quickly begin working on a new job. This range offers complete flexibility and has zero compromise on quality and power from the Masport products you have come to know and trust for the last 112 years.

ONE BATTERY, MULTIPLE USE, ZERO COMPROMISE.

Masport supports the 60V product with our industry leading warranties, including 5 years for the tool, and 3 years for the battery and charger. This way, you can ensure peace of mind when investing in the Masport 60V range of products.

5 YEAR TOOL WARRANTY **3 YEAR BATTERY AND CHARGER WARRANTY**

5 and 3 year warranties are consumer only, more information on warranties can be found in the product manual or on masport.com



MASPORT 60V ST 16" MOWER - CONSOLE ONLY

CUT, CATCH, REAR DISCHARGE	STEEL CHASSIS	PUSH	420MM (16.5")	565859
----------------------------	---------------	------	---------------	--------



MOTOR 60 volt 0.75 kilowatt with load sensing technology
Powered by Masport 60V Max AEROCORE Lithium-ion battery (not included)
Solid steel 7/8" motor drive shaft, no plastic fan required
Runtime: up to 85 mins* - 5Ah battery (no load)

BUILD 420mm (16.5") steel chassis
Masport 2 Blade Disc System
Front 175mm (7") and Rear 175mm (7") wheels
Fabric Catcher

HANDLE SYSTEM Comfortable upturned upper handle
Two piece lower handle for easy catcher access

FEATURES



* Runtime may vary due to grass type, grass conditions, users technique and battery charge level

5 YEAR TOOL WARRANTY
3 YEAR BATTERY AND CHARGER WARRANTY **5 YEAR TOOL WARRANTY**

MASPORT 60V ST 18" MOWER

INCLUDES 60V 5Ah AEROCORE battery & battery charger

CUT, CATCH, MULCH, SIDE DISCHARGE	STEEL CHASSIS	PUSH	460MM (18")	565856
-----------------------------------	---------------	------	-------------	--------



MOTOR 60 volt 0.75 kilowatt with load sensing technology
Powered by Masport 60V Max AEROCORE Lithium-ion battery
Solid steel 7/8" motor drive shaft, no plastic fan required
Runtime: up to 65 mins* - 5Ah battery (no load)

BUILD 460mm (18") heavy duty steel chassis
Masport 2 Blade Disc System
Front 200mm (8") and Rear 200mm (8") adjustable mono bearing wheels
HDPE Plastic Catcher with 'full' indicator

HANDLE SYSTEM Comfortable upturned upper handle with soft grip
Reinforced lower handle for added strength
Ergo camlocks for adjustable handle position

FEATURES



* Runtime may vary due to grass type, grass conditions, users technique and battery charge level

5 YEAR TOOL WARRANTY **LIFETIME WARRANTY HDPE PLASTIC CATCHER**
3 YEAR BATTERY AND CHARGER WARRANTY **5 YEAR TOOL WARRANTY**



MASPORT 60V AL 18" 3'N1 MOWER

INCLUDES 60V 5Ah AEROCORE battery & battery charger

CUT, CATCH, MULCH, SIDE DISCHARGE	ALLOY CHASSIS	PUSH	460MM (18")	565855
-----------------------------------	---------------	------	-------------	--------



MOTOR 60 volt 0.75 kilowatt with load sensing technology
 Powered by Masport 60V Max AEROCORE Lithium-ion battery
 Solid steel 7/8" motor drive shaft, no plastic fan required
Runtime: up to 65 mins* - 5Ah battery (no load)

BUILD 460mm (18") heavy duty aluminium non rust chassis
 Masport 2 Blade Disc System
 Front 200mm (8") and Rear 200mm (8") adjustable mono bearing wheels
 HDPE Plastic Catcher with 'full' indicator

HANDLE SYSTEM Comfortable upturned upper handle with soft grip
 Reinforced lower handle for added strength
 Handle Lift System for easy catcher removal and storage
 Ergo camlocks for adjustable handle position

FEATURES



* Runtime may vary due to grass type, grass conditions, users technique and battery charge level



MASPORT 60V AL 18" 2'N1 MOWER

INCLUDES 60V 5Ah AEROCORE battery & battery charger

CUT, CATCH, MULCH	ALLOY CHASSIS	PUSH	460MM (18")	565952
-------------------	---------------	------	-------------	--------



MOTOR 60 volt 0.75 kilowatt with load sensing technology
 Powered by Masport 60V Max AEROCORE Lithium-ion battery
 Solid steel 7/8" motor drive shaft, no plastic fan required
Runtime: up to 65 mins* - 5Ah battery (no load)

BUILD 460mm (18") heavy duty aluminium non rust chassis
 Masport 2 Blade Disc System
 Front 200mm (8") and Rear 200mm (8") adjustable mono bearing wheels
 HDPE Plastic Catcher with 'full' indicator

HANDLE SYSTEM Comfortable upturned upper handle with soft grip
 Reinforced lower handle for added strength
 Camlocks for quick release handle fold down

FEATURES



* Runtime may vary due to grass type, grass conditions, users technique and battery charge level



MASPORT 60V ST 18" SP MOWER

INCLUDES 60V 5Ah AEROCORE battery & battery charger

CUT, CATCH, MULCH, SIDE DISCHARGE	STEEL CHASSIS	SELF-PROPELLED*	460MM (18")	565858
-----------------------------------	---------------	-----------------	-------------	--------



MOTOR 60 volt 1.2 kilowatt with load sensing technology
 Powered by Masport 60V Max AEROCORE Lithium-ion battery
 Solid steel 7/8" motor drive shaft, no plastic fan required
Runtime: up to 45 mins** - 5Ah battery (no load)

BUILD 460mm (18") heavy duty steel chassis
 Masport 2 Blade Disc System
 Front 175mm (7") and Rear 200mm (8") adjustable mono bearing wheels
 HDPE Plastic Catcher with 'full' indicator

HANDLE SYSTEM Comfortable upturned upper handle with soft grip
 Reinforced lower handle for added strength
 Camlocks for quick release handle fold down

FEATURES



* 2 year transmission warranty
 ** Runtime may vary due to grass type, grass conditions, users technique and battery charge level





MASPORT 60V CHAINSAW - KIT

553241

High efficiency brushless motor delivers more power, torque and a greater run time

Durable 16" (40cm) bar and chain deliver superior performance cut after cut

Large, full wrap and anti-slip front handle designed for easy use

Professional chain tensioning system for simple set up and adjustment

Large oil tank with viewing window for extended use

Mechanical and electric chain brake keeps you safe and in control

Metal spike provides easy cutting and control

Automatic lubrication system keeps the chain moving freely at all times

Lightweight and very easy to handle

Battery run time: 60V Max 5Ah - up to 49 minutes (no load)

5.0Ah Lithium-ion battery & 2.5A charger included

Weight : 4.6kg (console only)



5 YEAR TOOL WARRANTY **3 YEAR BATTERY AND CHARGER WARRANTY**

Console Only: 553159

MASPORT 60V TURBO BLOWER - KIT

553168

High efficiency brushless motor provides more power, torque and a greater run time

Turbine fan technology delivers forceful, high-capacity air volume

Turbo boost function provides increased power to move difficult debris

Up to 200km/h air speed and 900m³/h air volume

Variable speed switch for increased control

Cool air is drawn through the battery housing to keep the battery cells cooler and improve performance and run time

Large detachable air tube delivers maximum air volume

Compact, lightweight and easy to handle

Battery run time: 60V Max 2.5Ah - up to 62 minutes / 60V Max 5Ah - up to 130 minutes

2.5Ah Lithium-ion battery & 2.5A charger included

Weight : 3.3 kg (console only)



5 YEAR TOOL WARRANTY **3 YEAR BATTERY AND CHARGER WARRANTY**

Console Only: 553158



MASPORT 60V LINE TRIMMER - KIT

553166

High efficiency brushless motor provides more power, torque and a greater run time

Gear transmission technology provides more torque and power for tough works

High-low and variable speed control extends run time and provides power when required for various grass conditions

Ergonomic adjustable loop handle for balance and comfortable operation

Bump feed line trimmer head with 2.4mm line capacity and 40cm cutting width

2 piece shaft design for easy transportation and storage

Strong aluminum shaft is durable but light in weight

Battery run time: 60V Max 2.5Ah - up to 49 minutes / 60V Max 5Ah - up to 107 minutes (no load)

2.5Ah Lithium-ion battery & 2.5A charger included

Weight : 4.4kg (console only)



5 YEAR TOOL WARRANTY **3 YEAR BATTERY AND CHARGER WARRANTY**

Console Only: 553161

MASPORT 60V HEDGE TRIMMER - KIT

553167

High efficiency brushless motor delivers more power, torque and a greater run time

Large, full wrap front handle designed for easy side and top cutting

Dual trigger system for the highest level of safety

5 positions rotating rear handle for effortless cutting between horizontal and vertical cutting

610mm dual action laser cut double sided cutting blades for clean and precise cutting

Blade tip protector enhances the life of the blades

Low cutter guard for safe and easy access

Lightweight hedge trimmer with optimum ergonomics

Battery run time: 60V Max 2.5Ah - up to 46 minutes / 60V Max 5Ah - up to 94 minutes (no load)

2.5Ah Lithium-ion battery & 2.5A charger included

Weight : 4.6kg (console only)



5 YEAR TOOL WARRANTY **3 YEAR BATTERY AND CHARGER WARRANTY**

Console Only: 553160



AEROCORE

The battery features AEROCORE technology, where the battery cells have an air gap on at least one side, allowing for air to pass through the battery to keep it cool during operation and charging so you can work harder, for longer.

MASPORT 60V MAX 2.5AH AEROCORE LI-ION BATTERY

553155



3 YEAR WARRANTY

60V 2.5Ah lithium-ion Battery - 135Wh

6 stage LED battery charge level indicator

No memory effect - charging possible at all times

Low spontaneous discharging

Long service life

Compatible with all the equipment from the Masport 60V Max range

Weight : 1.5kg

MASPORT 60V MAX 5AH AEROCORE LI-ION BATTERY

553156



3 YEAR WARRANTY

60V 5Ah lithium-ion Battery - 270Wh

6 stage LED battery charge level indicator

No memory effect - charging possible at all times

Low spontaneous discharging

Long service life

Compatible with all the equipment from the Masport 60V Max range

Weight : 2.3kg

MASPORT 60V 2.5A AEROCORE BATTERY CHARGER

553157



3 YEAR WARRANTY

LED battery charge status indicator

Quick charging time

Smooth running battery insertion guide

Charge time - 60V 2.5Ah - approx. 60 minutes / 60V 5Ah - approx. 120 minutes

Weight : 0.9kg

MASPORT 60V 5A AEROCORE FAST BATTERY CHARGER

553220



3 YEAR WARRANTY

LED battery charge status indicator

Quick charging time

Smooth running battery insertion guide

Integrated cooling fan keeps the battery cooler during the charging process

Charge time - 60V 2.5Ah - approx. 30 minutes / 60V 5Ah - approx. 60 minutes

Weight : 0.9kg

A cooling fan in the base of the fast charger protects the batteries from overheating during the charging process and reduces down time when a hot battery is inserted for charging.

*Image for illustration purpose only and actual products may vary due to product enhancement or change.

HANDMOWERS

This premium hand mower, constructed in heavy-duty steel is fully adjustable. The heavy-weight cast alloy wheels fitted with solid rubber tyres provide remarkable traction, unseen on other hand mowers. Heat treated 6 blade alloy-steel cutting cylinder and bottom blade cut the lawn cleanly, much like a pair of scissors, delivering a manicured professional looking finish which will be the envy of your neighbours.



CLEVELAND 18"

552803

FEATURES

- 13mm - 56mm cutting range
- 460mm (18") cutting width
- Heat treated alloy steel 6 blade cutting cylinder and bottom blade.
- Resharpenable blades ensure continuous and precise cutting and a long working life.
- Comfortable T-Style handle with cushion grips
- Robust Fabric Catcher included
- 9" Cast Alloy wheels with solid rubber tyres
- Strong steel drive pinions
- 2 Year Warranty



ELECTRIC MOWERS

The Masport Electric Mower is an easier way to mow the smaller lawn - no fuel to mix, just plug it in and mow.



ELECTRIC MOWER

553238

FEATURES

- Powerful 1800 watt motor gives the mower enough power to tackle a small to medium sized lawn
- 420mm (16.5") cutting width
- Ergonomic height adjustable upturned handle with PVC grip
- Large 50 litre, fan assisted catcher
- 2 Year Warranty



CYLINDER MOWERS

Great for helping to create a bowling green look to be the envy of the neighbourhood.



400 RRR

019108



- FEATURES**
- Powered by Briggs & Stratton 127cc OHV Series 550 I/C® horizontal shaft engine
 - 405mm (16") cutting width
 - Centrifugal clutch reel engagement
 - Standard cut: 124 per metre
 - 7 - 30mm cutting height
 - Steel 6 blade cutting reel
 - 50 litre HDPE plastic catcher
 - Single bail drive system
 - 205mm diameter rubber lined split steel rear roller
 - Comfortable upturned upper handle with PVC grip
 - 2 Year Warranty

500 RRR

019113



- FEATURES**
- Powered by Briggs & Stratton 163cc OHV 5.0HP I/C® engine
 - 505mm (20") cutting width
 - Centrifugal clutch reel engagement
 - Standard cut: 124 per metre
 - 7 - 30mm cutting height
 - Steel 6 blade cutting reel
 - 70 litre HDPE plastic catcher
 - Single bail drive system
 - 205mm diameter rubber lined split steel rear roller
 - Comfortable upturned upper handle with PVC grip
 - 2 Year Warranty

500 RRR

019109



- FEATURES**
- Powered by Briggs & Stratton 127cc OHV Series 550 I/C® horizontal shaft engine
 - 505mm (20") cutting width
 - Centrifugal clutch reel engagement
 - Standard cut: 124 per metre
 - 7 - 30mm cutting height
 - Steel 6 blade cutting reel
 - 70 litre HDPE Plastic Catcher
 - Single bail drive system
 - 205mm diameter rubber lined split steel rear roller
 - Comfortable upturned upper handle with PVC grip
 - 2 Year Warranty

500L RRR

019115



- FEATURES**
- Powered by Loncin 196cc OHV engine
 - 505mm (20") cutting width
 - Centrifugal clutch reel engagement
 - Standard cut: 124 per metre
 - 7 - 30mm cutting height
 - Steel 6 blade cutting reel
 - 70 litre HDPE plastic catcher
 - Single bail drive system
 - 205mm diameter rubber lined split steel rear roller
 - Comfortable upturned upper handle with PVC grip
 - 2 Year Warranty



500 GOLF

019111



- FEATURES**
- Powered by Briggs & Stratton 163cc OHV 5.0HP I/C® engine
 - 505mm (20") cutting width
 - Centrifugal clutch reel engagement
 - Standard cut: 207 per metre
 - 4 - 30mm cutting height
 - Steel 10 blade cutting reel
 - 70 litre HDPE plastic catcher
 - Single bail drive system
 - 195mm diameter split steel rear roller
 - Comfortable upturned upper handle with PVC grip
 - 2 Year Warranty



660 RRR

019114



- FEATURES**
- Powered by Briggs & Stratton 163cc OHV 5.0HP I/C® engine
 - 670mm (26") cutting width
 - Centrifugal clutch reel engagement
 - Standard cut: 124 per metre
 - 7 - 30mm cutting height
 - Steel 6 blade cutting reel
 - 82 litre HDPE plastic catcher
 - Single bail drive system
 - 205mm diameter rubber lined split steel rear roller
 - Comfortable upturned upper handle with PVC grip
 - 2 Year Warranty

CYLINDERS & BLADES

6 blade cutting cylinder & standard bottom blade with front split steel roller

7-30mm (1/4" - 1 3/16") cutting heights

Standard Cuts:

124 per metre / 113 per yard



10 blade cutting cylinder & shaver bottom blade with one piece front steel roller

Cuts down to 4mm (5/32")

Golf Cuts:

207 per metre / 189 per yard



OUTDOOR POWER EQUIPMENT



5 TONNE LOG SPLITTER, KINETIC

552882



FEATURES

- 1500W, 240V motor
- Simple to operate and maintain
- Electric power means less noise and no fumes
- Can also be used indoors or in covered areas
- 280mm (11") max log diameter
- 400mm (16") max log length
- The ram return is spring loaded making resetting for the next log fast and easy
- Splits most logs in less than 2 seconds
- Rugged wide-stance design provides stability
- Wheels for portability
- 2 Year Warranty

7 TONNE LOG SPLITTER

552608



FEATURES

- 2300W, 230V motor
- Simple to operate and maintain
- Electric power means less noise and no fumes
- Can also be used indoors or in covered areas
- 320mm (12 1/2") max log diameter
- 520mm (20") max log length
- The ram return is spring loaded making resetting for the next log fast and easy
- Hydraulic 7 tonne ram
- Splits most logs in less than 12 seconds
- Rugged wide-stance design provides stability
- Wheels for portability
- 4 way splitting attachment included
- 2 Year Warranty

4 way splitting attachment

8 TONNE LOG SPLITTER, KINETIC

553001



FEATURES

- 1600W, 240V motor
- Simple to operate and maintain
- Electric power means less noise and no fumes
- Can also be used indoors or in covered areas
- 350mm (13.75") max log diameter
- 520mm (20.5") max log length
- The ram return is spring loaded making resetting for the next log fast and easy
- Splits most logs in less than 2 seconds
- Rugged wide-stance design provides stability
- Wheels for portability
- 2 Year Warranty



PETROL EDGER - LONCIN

550919



FEATURES

- Powered by Loncin 80cc horizontal shaft OHV engine
- Ten position height control and large cutting range allows for different height settings for a variety of purposes
- Cutting Range: 2cm above ground to 6cm below ground
- 240mm (9.5") Bar Blade
- Fold down handles are designed for convenient storage
- OPC controls for added safety that contains "lockout" feature to prevent accidental operation
- Single lever height control system adjustable from operating position
- 150mm (6") front and 200mm (8") rear ball bearing wheels
- 4 Year Warranty



Product may differ slightly from pictured.

PETROL EDGER - B&S

550913



FEATURES

- Powered by Briggs & Stratton 127cc OHV Series 550 I/C® horizontal shaft engine
- Ten position height control and large cutting range allows for different height settings for a variety of purposes
- Cutting Range: 2cm above ground to 6cm below ground
- 240mm (9.5") Bar Blade
- Fold down handles are designed for convenient storage
- OPC controls for added safety that contains "lockout" feature to prevent accidental operation
- Single lever height control system adjustable from operating position
- 150mm (6") front and 200mm (8") rear ball bearing wheels
- 4 Year Warranty

4 WAY HOME GARDENER

550905



FEATURES

- Powered by Briggs & Stratton 127cc OHV Series 550 I/C® horizontal shaft engine
- Sturdy shaft drive with worm-drive gearbox transmission
- 280mm (11") tilling width without outside tines
- 430mm (17") tilling width standard
- Lightweight - 46.3kg
- Simple controls and rugged construction
- Counter balanced design allows for easy handling and storage
- Comes with tines, garden aerator, lawn edger and cleaning brush
- 4 Year Warranty



Aerator

Lawn Edger

Cleaning Brush

Tines



6.0HP CHIPPER SHREDDER

BIO2021

FEATURES

- Powerful 6.0HP 205cc OHV I/C® Briggs & Stratton engine
- Double chipper blades
- Larger branches can be fed through the 50mm x 50mm side chute
- 9 flail hammer blades
- Weeds and other garden materials are reduced to a fine mulch so they can't regenerate
- Large wheels and hopper handle for manoeuvrability
- Bar grate which is designed to avoid clogging with damp leaves and foliage is included
- V-Belt drive system
- 4 Year Warranty



Bar Grate

5.5 HP CHIPPER SHREDDER

BIO2027

FEATURES

- Powered by Loncin 196cc OHV engine
- Double chipper blades
- Larger branches can be fed through the 50mm x 50mm side chute
- 9 flail hammer blades
- Weeds and other garden materials are reduced to a fine mulch so they can't regenerate
- Large wheels and hopper handle for manoeuvrability
- Bar grate which is designed to avoid clogging with damp leaves and foliage is available as an optional extra
- V-Belt drive system
- 4 Year Warranty



Bar Grate

5.0HP CHIPPER SHREDDER - HONDA

BIO2026

FEATURES

- Powerful 5.0HP 163cc Honda GX160 engine
- Double chipper blades
- Larger branches can be fed through the 50mm x 50mm chipper chute
- 9 flail hammer blades
- Weeds and other garden materials are reduced to a fine mulch so they can't regenerate
- Large wheels and hopper handle for manoeuvrability
- Bar grate which is designed to avoid clogging with damp leaves and foliage is available as an optional extra
- V-Belt drive system
- 4 Year Warranty



Bar Grate



WARRANTY AND DISCLAIMER INFORMATION:

All Masport products carry a manufacturer's warranty. Please refer to your warranty card supplied with each product for details and conditions for specific models.

This brochure supersedes all previous Masport Lawn & Garden range brochures. Product specification, colours and prices are subject to change without prior notification. Not all models may be stocked at all stores. Whilst care has been taken in the preparation of this document, Masport is constantly improving and updating its product range, therefore model specifications may vary and should be checked at time of purchase.

Masport products are covered by the following design registrations:

405399, 407916, 407917, 411355, 411354, 417631, 418171,
407915, 407913, 411353, 414788, 414789, 414790, 414791, 414792,
and patents: 330634, 570911, 589942/590235, 605098, 605114.

Masport Limited New Zealand

320 Ti Rakau Drive, East Tamaki,
PO Box 14-349, Panmure,
Auckland 2013.

P: 0800 MASPORT
Fax: 0508 570 570

Email: sales@masport.co.nz
Web: www.masport.co.nz



The '5 Tick' certification applies specifically to petrol powered rotary lawnmowers within this document.